

SCAG REGIONAL TRAVEL DEMAND MODEL AND 2008 MODEL VALIDATION



JUNE 2012

COMPILED AND EDITED BY:

LSA
LSA ASSOCIATES, INC.

MODEL ENHANCEMENT CONSULTING TEAM:

CAMBRIDGE
SYSTEMATICS

PARSONS
BRINCKERHOFF

WilburSmith
ASSOCIATES **CDM**

SCAG REGIONAL TRAVEL DEMAND MODEL AND 2008 MODEL VALIDATION

JUNE 2012

Funding: The preparation of this report was financed in part through grants from the United States Department of Transportation (DOT). The contents of this report do not necessarily reflect the official views or policy of the U.S. Department of Transportation.

The contents of this report reflect the views of the author who is responsible for the facts and accuracy of the data presented herein. The contents do not necessarily reflect the official views or policies of SCAG or DOT. This report does not constitute a standard, specification or regulation.

SCAG REGIONAL TRAVEL DEMAND MODEL AND 2008 MODEL VALIDATION

JUNE 2012

TABLE OF CONTENTS

Preface	I
Chapter 1 – Overview	I-1
Chapter 2 – Socioeconomic Input Data	2-1
Chapter 3 – Trip Generation.....	3-1
Chapter 4 – Transportation Networks.....	4-1
Chapter 5 – Trip Distribution	5-1
Chapter 6 – Mode Choice.....	6-1
Chapter 7 – Heavy Duty Truck Model.....	7-1
Chapter 8 – Trip Assignment	8-1
Appendix A: Highway Network Coding Conventions	A-1
Appendix B: Auto Operating Costs	B-1
Appendix C: SCAG Model Peer Review #4.....	C-1
ACRONYMS	
ACKNOWLEDGMENTS	

TABLE OF CONTENTS – EXPANDED

Preface	1
Chapter 1 – Overview	I-1
Introduction.....	I-1
Technical Approach of the Validation Process	I-3
Overview of Model Enhancements.....	I-3
Modeling Area.....	I-5
Zone System.....	I-6
Overview of the Peer Review Process	I-10
Overview of Report	I-11
Chapter 2 – Socioeconomic Input Data	2-1
Introduction.....	2-1
Development of Three Major Variables	2-1
Development of Secondary Variables	2-4
Development of Joint Distributions of Population/Households/Workers by Selected Attributes	2-4
Socioeconomic Input Data Summary	2-4
Chapter 3 – Trip Generation.....	3-1
Introduction.....	3-1
Trip Purpose.....	3-1
Vehicle Availability Model	3-2
Trip Market Segmentation	3-11
Trip Productions Model	3-14
Trip Attractions Model.....	3-19
Trip Production Model Validation.....	3-21
Chapter 4 – Transportation Networks.....	4-1
Introduction.....	4-1
Highway Networks.....	4-1
Transit Networks.....	4-14
Chapter 5 – Trip Distribution	5-1
Introduction.....	5-1
Estimation Dataset.....	5-1
Main Explanatory Variables.....	5-2
Utility Structure.....	5-2
Estimation Results.....	5-2
Gravity Models (HBSC and HBCU Trip Types).....	5-6
Model Application and Calibration	5-7
Trip Distribution Model Results.....	5-15

Chapter 6 – Mode Choice.....	6-1
Introduction.....	6-1
Model Specification.....	6-1
Calibration Target Values.....	6-10
Model Calibration and Validation.....	6-15
Mode Choice Model Results	6-22
 Chapter 7 – Heavy Duty Truck Model.....	 7-1
Introduction.....	7-1
HDT Model Structure.....	7-1
Internal HDT Model.....	7-3
External HDT Model.....	7-8
Port HDT Model.....	7-10
Intermodal HDT Trips.....	7-14
HDT Time of Day Factoring & Assignment.....	7-16
 Chapter 8 – Trip Assignment	 8-1
Introduction.....	8-1
Time-of-Day Factors	8-1
External Trips.....	8-3
Highway Assignment Procedures.....	8-3
Highway Assignment Validation and Summary	8-6
Transit Assignment Procedures.....	8-17
Transit Assignment Validation and Summary	8-17
 Appendix A: Highway Network Coding Conventions	 A-1
 Appendix B: Auto Operating Costs	 B-1
 Appendix C: SCAG Model Peer Review #4.....	 C-1
 Acronyms	
 Acknowledgments	

List of Tables

Table 1-1: Summary of TAZ Statistics	1-7
Table 1-2: 2011 Regional Travel Model Peer Review Panel #4 (June 27-28, 2011)	1-11
Table 2-1: Description of Socio-Economic Variables	2-2
Table 2-2: Joint Distributions of Population/Households/Workers by Selected Attributes	2-3
Table 2-3: Year 2008 SCAG Model Socioeconomic Input Data	2-5
Table 3-1: Observed Household Frequencies	3-3
Table 3-2: Land Use Form and Accessibility Measures	3-4
Table 3-3: Auto Availability Estimation Results	3-6
Table 3-4: Year 2000 Auto Availability Forecast - County of Residence Validation	3-7
Table 3-5: Year 2008 Auto Availability Forecast – County of Residence Validation	3-8
Table 3-6: Auto Availability Validation to Mix Employment, Household and Intersection Density	3-9
Table 3-7: Auto Availability Validation to Non Motorized Accessibility	3-9
Table 3-8: Auto Availability Validation to Transit Accessibility Logsum	3-9
Table 3-9: Trip Purposes	3-11
Table 3-10: Person and Household Attributes	3-12
Table 3-11: Survey Household Income Classifications	3-13
Table 3-12: Trip Market Strata	3-13
Table 3-13: Trip Sample Size	3-14
Table 3-14: HBWD Trip Production Rates	3-15
Table 3-15: HBWS Trip Production Rates	3-15
Table 3-16: HBSC Trip Production Rates	3-16
Table 3-17: HBCU Trip Production Rates	3-16
Table 3-18: HBNW Trip Production Rates	3-16
Table 3-19: WBO Trip Production Rates	3-18
Table 3-20: OBO Trip Production Rates	3-18
Table 3-21: HBSC and HBCU Trip Attraction Rates	3-19
Table 3-22: Trip Attraction Model Regression Coefficients	3-20
Table 3-23: Trip Production Validation to Household Survey, 2000 and 2008	3-21
Table 3-24: HBW Trip Production Validation to NHTS 2008	3-22
Table 3-25: HBW Trip Production Validation	3-22
Table 3-26: Year 2008 Trip Generation Summary by Trip Purpose and by County	3-23
Table 3-27: Year 2008 Trip Generation Comparative Statistics	3-24
Table 4-1: Year 2008 Freeway/Expressway Free-Flow Speed	4-4
Table 4-2: Year 2008 Arterial Free-Flow Speed	4-5
Table 4-3: Year 2008 Arterial / Expressway Capacity (Signal Spacing <2 miles)	4-6
Table 4-4: Year 2008 Arterial / Expressway Capacity (Signal Spacing >=2 Miles)	4-7
Table 4-5: Year 2008 Freeway Capacity	4-7
Table 4-6: Year 2008 Ramp Capacity	4-7
Table 4-7: Year 2008 Highway Network Summary	4-9
Table 4-8: Year 2008 Transit Network Route Patterns and Route Miles	4-17
Table 5-1: HBW Destination Choice Estimation Results	5-3
Table 5-2: Home-Based Non-Work Destination Choice Estimation Results	5-5
Table 5-3: Non-Home Based Destination Choice Estimation Results	5-6
Table 5-4: Trip Distribution Gamma Function Parameters by Time Period	5-7
Table 5-5: Average Trip Distance Validation, Household Income Levels	5-8
Table 5-6: Trip Length Distribution Coincidence Ratios	5-9
Table 5-7: County-To-County HBW Trip Validation	5-10
Table 5-8: Year 2008 Home-Based Work Person Trip Distribution	5-15

Table 5-9: Home-Based Work Person Trip Distribution (ACS*, Travel Survey and Model)	5-16
Table 5-10: Year 2008 Home-Based Non-Work Person Trip Distribution	5-17
Table 5-11: Year 2008 Non-Home Based Person Trip Distribution	5-17
Table 5-12: Year 2008 Total Person Trip Distribution	5-18
Table 5-13: Year 2008 Average Person Trip Lengths by County	5-18
Table 6-1: Transit Access and Egress Modes	6-3
Table 6-2: Primary and Support Transit Modes	6-4
Table 6-3: Transit Path Building Weights.....	6-5
Table 6-4: Mode Choice Utility Coefficients.....	6-7
Table 6-5: Station Choice Utility Coefficients	6-8
Table 6-6: On-Board Transit Surveys	6-11
Table 6-7: HBW and HBO Mode Choice Calibration Targets, Peak Period	6-13
Table 6-8: HBW and HBO Mode Choice Calibration Targets, Off-Peak Period.....	6-14
Table 6-9: HBSC, HBCU and NHB Mode Choice Calibration Targets, Peak Period	6-15
Table 6-10: HBSC, HBCU and NHB Mode Choice Calibration Targets, Off-Peak Period	6-15
Table 6-11: Transit Line-Haul Constants (eq. in-vehicle time minutes)	6-16
Table 6-12: HBW Peak Period Mode Choice Calibration Results	6-17
Table 6-13: HBW Off-Peak Period Mode Choice Calibration Results.....	6-18
Table 6-14: HBNW Peak Period Mode Choice Calibration Results.....	6-19
Table 6-15: HBNW Off-Peak Period Mode Choice Calibration Results	6-20
Table 6-16: HBSC and NHB Mode Choice Calibration Results.....	6-21
Table 6-17: Year 2008 Mode Choice Summary Statistics (Home-Based Work)	6-22
Table 6-18: Year 2008 Mode Choice Summary Statistics (Home-Based Non-Work)	6-23
Table 6-19: Year 2008 Mode Choice Summary Statistics (Non-Home-Based).....	6-24
Table 6-20: Year 2008 Mode Choice Summary Statistics (Home-Based School).....	6-25
Table 6-21: Year 2008 Mode Choice Summary Statistics (all trip purposes)	6-26
Table 7-1: Aggregated Two-Digit NAICS Categories.....	7-4
Table 7-2: Internal HDT Trip Rates	7-4
Table 7-3: 2008 Internal HDT Trip Generation Estimates.....	7-5
Table 7-4: Composite Truck Unit Costs	7-6
Table 7-5: External HDT Commodity Payload Factors.....	7-9
Table 7-6: Port TAM 4,251 TAZ System.....	7-10
Table 7-7: Survey Sample Origins	7-11
Table 7-8: Survey Sample Destinations	7-11
Table 7-9: Port HDT Trips by Truck Type	7-13
Table 7-10: 2008 Port HDT Trips by Time Period and County	7-14
Table 7-11: 2005 Domestic IMX (Non-Port) Annual Truck Trips	7-15
Table 7-12: 2008 Intermodal HHDT Trips by Terminal and County	7-15
Table 7-13: 2008 Wholesale HDT Trips	7-16
Table 7-14: HDT Time-of-Day Factors.....	7-17
Table 7-15: HDT Passenger Car Equivalent Factors	7-17
Table 8-1: Peaking Factors.....	8-2
Table 8-2: Time-of-Day Factors	8-2
Table 8-3: Volume-Delay Function Parameters.....	8-4
Table 8-4: Year 2008 Loaded Highway Network Summary.....	8-8
Table 8-5: Year 2008 VMT Comparison by County and by Air Basin (in Thousands)	8-9
Table 8-6: Year 2008 Screenline Comparison of Model Weekday ADT and Ground Counts.....	8-10
Table 8-7: Year 2008 Screenline Comparison of Model Weekday ADT and Ground Counts by Volume Group.....	8-11

Table 8-8: Year 2008 Screenline Comparison of Model Weekday ADT and Ground Counts by Facility Type.....	8-12
Table 8-9: Year 2008 Screenline Comparison of Model Weekday ADT and Ground Counts by Area Type.....	8-12
Table 8-10: Year 2008 Daily Transit Boardings - Model vs. Actual Counts.....	8-17

List of Figures

Figure 1-1: SCAG Model Enhancement Program	1-4
Figure 1-2: Modeling Area	1-6
Figure 1-3: Structure of the Tiered Zone System in the SCAG Model.....	1-7
Figure 1-4: Transportation Analysis Zone System (Tier I)	1-9
Figure 2-1: Population Density (2008).....	2-6
Figure 2-2: Household Income Distributions (2008)	2-7
Figure 2-3: Employment Density (2008)	2-8
Figure 3-1: Mixed Employment, Residential and Intersection Density	3-5
Figure 3-2: Validation of Zero Car Households for Regional Statistical Areas	3-10
Figure 3-3: Validation of Total Auto Availability for Regional Statistical Areas.....	3-10
Figure 4-1: Flowchart of the Highway Network Inventory Program.....	4-2
Figure 4-2: Year 2008 Network by Facility Type.....	4-11
Figure 4-3: Year 2008 Modeling Area by Area Type	4-12
Figure 4-4: Year 2008 Network by Area Type	4-13
Figure 4-5: Modeling Area External Cordon Locations.....	4-14
Figure 4-6: Year 2008 Metrolink and Local Rail Network.....	4-18
Figure 4-7: Year 2008 Public Transit Network	4-19
Figure 5-1: HBW Distance Decay Functions	5-3
Figure 5-2: HBW Trip Length Validation	5-11
Figure 5-3: HBSH Trip Length Validation.....	5-11
Figure 5-4: HBSR Trip Length Validation	5-12
Figure 5-5: HBSP Trip Length Validation.....	5-12
Figure 5-6: HBO Trip Length Validation	5-13
Figure 5-7: WBO Trip Length Validation.....	5-13
Figure 5-8: OBO Trip Length Validation.....	5-14
Figure 5-9: HBSC Trip Length Validation.....	5-14
Figure 6-1: SCAG Mode Choice Model Nest Structure	6-2
Figure 6-2: Rail Skim Core Schematic.....	6-5
Figure 6-3: Density Component of the Transit Constant, HBWD Peak, Production End.....	6-10
Figure 7-1: Final HDT Model Structure	7-2
Figure 7-2 LHDT Internal Truck Trip Length Calibration.....	7-6
Figure 7-3 MHDT Internal Truck Trip Length Calibration.....	7-7
Figure 7-4 HHDT Internal Truck Trip Length Calibration	7-7
Figure 7-5: Intermodal Facilities in the SCAG Region	7-15
Figure 8-1: HOV Diversion Function.....	8-5
Figure 8-2: Screenlines (Regional).....	8-6
Figure 8-3: Screenlines (Detail)	8-7
Figure 8-4: Year 2008 Screenline Location Validation	8-9
Figure 8-5: Year 2008 Model Estimated AM Peak Period Speeds	8-13
Figure 8-6: Year 2008 Model Estimated PM Peak Period Speeds.....	8-14
Figure 8-7: PeMS AM Peak Speeds.....	8-15
Figure 8-8: PeMS PM Peak Speeds.....	8-16

THIS PAGE LEFT INTENTIONALLY BLANK